



دانشگاه علوم پزشکی اصفهان

مدیریت اطلاع رسانی پزشکی و منابع علمی

راهنمای آموزشی پایگاه اطلاعاتی up to date






برای دسترسی به این پایگاه اطلاعاتی به سایت کتابخانه دیجیتال دانشگاه علوم پزشکی اصفهان <https://diglib.mui.ac.ir> مراجعه و به دو صورت می‌توان به این پایگاه به طور مستقیم از طریق لوگوی uptodate و از طریق دانش‌لینک (پایگاه آنلاین استنادی) دسترسی داشت.

نحوه دسترسی به پایگاه diglib.mui.ac.ir

The image shows a screenshot of the diglib.mui.ac.ir website. The top navigation bar includes links for 'معرفی' (Introduction), 'آیین نامه ها' (Regulations), 'لیست پایگاه های اطلاعاتی' (List of Information Sources), 'محتوای آموزشی' (Educational Content), 'جستجو در کتابخانه' (Library Search), and 'تماس با ما' (Contact Us). The main content area is titled 'پایگاه های اطلاعاتی (Databases)' and displays a grid of database tiles. Two tiles are highlighted with yellow boxes: 'Daneshlink' and 'Up to Date'. Below this, a browser window shows the URL 'mui.daneshlink.ir/Forms/Public/OnlineLibrary.aspx'. The page content is divided into two sections: 'پایگاه های آنلاین عمومی' (General Online Sources) and 'پایگاه های آنلاین استنادی' (Citation Online Sources). The 'Citation Online Sources' section lists various databases with their respective update frequencies:

Database	Update Frequency
Scopus	دسترسی 1 دسترس 2
WebOfScience	دسترسی 1 دسترس 2
JCR	دسترسی 3
ESI	دسترسی 3
InCites	دسترسی 1 دسترس 2
Mathscinet	دسترسی 1 دسترس 2
Uptodate	دسترسی 1 دسترس 2 دسترس 3
Scival	دسترسی 3

پایگاه آپتودیت: یک پایگاه اطلاعات پزشکی است که به عنوان قابل اعتمادترین منبع پاسخ به سوالات پزشکی به شمار می‌آید. این پایگاه اطلاعاتی با استفاده از اطلاعات مبتنی بر شواهد به پزشکان در زمینه نحوه درمان بیماران و بهترین تصمیم‌گیری بالینی یاری می‌رساند. در ارائه روش‌های درمانی آپتودیت بیش از ۷۴۰۰ نویسنده و پزشک متخصص در ۲۵ رشته پزشکی (آلرژی و ایمونولوژی، بیهوشی، قلب و عروق، پوست، طب اورژانس (بزرگسالان و کودکان)، غدد، پزشک خانواده و پزشک عمومی، جراحی عمومی، هماتولوژی، بیماری‌های عفونی، زنان، روانپزشکی، ریه، طب سالمندان، طب خواب، نفرولوژی، آنکولوژی، اعصاب، طب تسکینی، کودکان و...) همکاری دارند که نشان از بررسی عمیق و دقیق مطالب ارائه شده در آن است.



1- What's New: حاوی خلاصه ای از مهم ترین یافته‌های جدید بر اساس تخصص از نظر ویراستاران می‌باشد.

2- Practice changing updates: آخرین تغییرات مربوط به تصمیمات بالینی پزشکی در موضوعات مختلف اطلاعاتی که روی درمان بالینی پزشکی تاثیرگذار بوده است را ارائه می‌دهد.

3- Drug Information: اطلاعات دارویی به صورت دسته بندی شده می‌باشد.

1. **General drug information**: اطلاعات کلی در مورد داروها از جمله گروه فارماکولوژی دارو، نام تجاری دارو، اختارها، دوز مصرف، وسایر اطلاعات بیان شده است.
2. **International drug information (concise)**: اطلاعاتی خلاصه در مورد نام تجاری داروها؛ دوز مصرف و گروه دارویی، موارد مصرف و دسترس پذیری و اشکال مختلف دارو بیان شده است
3. **Patient drug information**: اطلاعات دارویی به صورت پرسش و پاسخ برای بیماران بیان شده است.
4. **Pediatric drug information**: اطلاعات مخصوص کودکان و این گروه سنی بیان شده است
5. **What's new in drug therapy**: اطلاعات در مورد داروهای جدید تایید شده؛ داروهای حذف شده در بازار و برخی از اختارهای دارویی بیان شده است.
6. **Patient Education**: آموزش به بیمار

UpToDate offers two levels of content for patients:

1. **The Basics** are short overviews. They are written in accordance with plain language principles and answer the four or five most important questions a person might have about a medical problem.
2. **Beyond the Basics** are longer, more detailed reviews. They are best for readers who want detailed information and are comfortable with some medical terminology.

Learn more about UpToDate's patient education materials.

For the available patient education topics in UpToDate, click on a category below.

Adult general health	Digestive system	Lung disease
Allergies and asthma	Ear, nose, and throat	Mental health
Anesthesia	Emergency medicine	Nutrition, diet, and weight
Autoimmune disease	Eyes and vision	Pregnancy and childbirth
Blood disorders	Heart and blood vessels	Senior health
Bones, joints, and muscles	Home health	Sexual and reproductive health
Brain and nerves	Hormones	Skin, hair, and nails
Cancer	Infections and vaccines	Sleep
Children's health	Kidneys and urinary system	Surgery
Dental health	Laboratory and diagnostic tests	

4- **Patient Education**: آموزش به بیمار را در دو سطح (اطلاعات عمومی و کلی) و (اطلاعات جامع و تخصصی تر) جهت پاسخگویی به نیازهای اطلاعاتی مختلف بیماران فراهم می کند.

UpToDate® Search UpToDate Help behdasht utdos

Contents Calculators Drug Interactions UpToDate Pathways

< Back 5 → **Topics by Specialty**

You have access to the entire UpToDate® library of specialties with your subscription. Click on one of the specialties below to see sections associated with each.

Allergy and Immunology	Geriatrics	Pediatrics
Anesthesiology	Hematology	Primary Care (Adult)
Cardiovascular Medicine	Hospital Medicine	Primary Care Sports Medicine (Adolescents and Adults)
Dermatology	Infectious Diseases	Psychiatry
Emergency Medicine (Adult and Pediatric)	Nephrology and Hypertension	Pulmonary and Critical Care Medicine
Endocrinology and Diabetes	Neurology	Rheumatology
Family Medicine and General Practice	Obstetrics, Gynecology and Women's Health	Sleep Medicine
Gastroenterology and Hepatology	Oncology	
General Surgery	Palliative Care	

25 حوزه موضوعی پزشکی

5- Topics by specialty : مقالات پایگاه در ۲۵ حوزه موضوعی پزشکی دسته‌بندی شده است.

UpToDate® Search UpToDate Help behdasht utdos

Contents Calculators Drug Interactions UpToDate Pathways

< Back 6 → **Authors and Editors**

Allergy and Immunology	<u>General Surgery</u>	Patient Education
Anesthesiology	Geriatrics	Pediatrics
Calculators	Hematology	Primary Care (Adult)
Cardiovascular Medicine	Hospital Medicine	Primary Care Sports Medicine (Adolescents and Adults)
Dermatology	Infectious Diseases	Psychiatry
Drug Information	Nephrology and Hypertension	Pulmonary and Critical Care Medicine
Emergency Medicine (Adult and Pediatric)	Neurology	Rheumatology
Endocrinology and Diabetes	Obstetrics, Gynecology and Women's Health	Sleep Medicine
Family Medicine and General Practice	Oncology	
Gastroenterology and Hepatology	Palliative Care	

6- Authors and Editors: اطلاعات نویسندگان و ویراستاران موضوعات و رشته های تخصصی را شامل می‌شود.

جستجوی شاخص مورد نظر به صورت خاص و الفبایی

وارد کردن مقادیر مربوطه

Albumin-bilirubin (ALBI) grade estimate of survival of adults with hepatocellular carcinoma (conventional and SI units)

Important: inputs must be complete to perform calculation.

Calculator: Body mass index (BMI) for adults (Metric, Patient education)

BMI is used to categorize people as underweight, normal weight, or overweight. It measures your weight in relation to your height.

Enter height and weight

1 → Height cm

2 → Weight kg

Results

Important: Inputs must be complete to perform calculation.

BMI

Reset form

Calculators -2: ماشین حساب پزشکی یک ارزیاب و محاسبه گر خودکار است که با توجه به موضوع مورد جستجو، شاخص های مرتبط را محاسبه و نتایج را به طور دقیق ارائه می کند. این بخش شامل برخی جداول محاسباتی است که کاربران آپتودیت را از محاسبه دستی شاخص ها بی نیاز می سازد.

در ماشین حساب پزشکی جستجوی دارو به دو صورت الفبایی و خاص صورت می‌گیرد. برای مثال به دست آوردن شاخص (توده بدنی) BMI مقدار قد و وزن را وارد می‌کنیم و نتیجه قابل مشاهده می‌باشد.

The image displays two screenshots of the UpToDate Lexicomp Drug Interactions interface. The top screenshot shows the search input field with a yellow box labeled '1' and 'وارد کردن دارو' (Enter drug). The bottom screenshot shows the search results for MetFORMIN and Pantoprazole, with a yellow box labeled '2' on the 'Analyze' button and another labeled '3' on the result 'MetFORMIN Pantoprazole'. A legend for interaction grades (A, B, C, D, X) is also shown.

3- Drug Interactions: در این قسمت تحلیل تداخلات دارویی بیان شده است. ابتدا نام تجاری دارو را تایپ کرده و سپس گزینه Analyze را انتخاب کرده و سپس نتیجه مورد بررسی شده قابل مشاهده است. میزان تداخل داروها با حروف نشان داده می‌شود.

A: نشان دهنده عدم تداخل بین دو دارو است.

B: نمایانگر امکان وجود واکنش بین دو دارو است اما نیازی به تغییر یکی از داروها نمی‌باشد.

C: بیانگر نیاز به دخالت در دوز مصرفی بیمار هنگام مصرف دو دارو است. با توجه به وضعیت بیمار و فواید مصرف زمان دو دارو در تعداد اندکی از بیماران و برای کاهش میزان عوارض باید در دوز مصرفی یک یا هر دو دارو هماهنگی برقرار شود.

D: نشان می‌دهد که دو دارو تداخل دارویی دارند. به گونه‌ای که با توجه به وضعیت بیمار، میزان فواید مصرف همزمان دو دارو و خطرات ناشی از آن مورد ارزیابی قرار گیرد و نیاز به مشاهده دقیق وضعیت بیمار به هنگام مصرف، تغییر در دوز داروها با توجه به شواهد بالینی بیمار و جایگزینی داروهای معادل می‌باشد.

X: بیانگر وجود تداخل بین دو دارو است. در این شرایط میزان خطر ناشی از مصرف همزمان دو دارو بیشتر از فواید آن است و نباید دو دارو را با یکدیگر برای بیمار تجویز کرد.

UpToDate Pathways 4

Hyponatremia: Evaluation in adults

Click and drag to reposition algorithm

100%

Pathway scope, required tests, warnings, and exclusions

Hyperglycemia present?

Yes

Correct sodium for hyperglycemia. Hyponatremia still present?

Yes

Irrigation with non-electrolyte solution (eg, TURP/hysteroscopy)?

Yes

Measure serum osmolality

No

Hypertonic hyponatremia due to hyperglycemia

No

Irrigation with non-electrolyte solution (eg, TURP [transurethral resection of the prostate]/hysteroscopy)?

Yes

Measure serum osmolality

No

Did patient receive mannitol or IVIG (intravenous immune globulin)?

Yes

Measure serum osmolality

No

Suspect pseudohyponatrem

Editors Abbreviations Related Content Other Pathway

Is this UpToDate Pathway appropriate for this patient?

Yes

No

Does the patient have hyperglycemia (ie, glucose ≥ 125 mg/dL [6.94 mmol/L])?

Yes

No

What is the patient's serum sodium?

Sodium (mEq/L; please enter a value between 80 to 134 mEq/L).

89

What is the patient's serum glucose?

Glucose (mg/dL; please enter a value between 125 mg/dL and 3000 mg/dL). To convert mmol/L to mg/dL, divide by 0.0555.

199

Corrected serum sodium: 91 mg/dL

Uptodate Pathways-4: فرایند تشخیص و درمان بیماری با استفاده از پرسش و پاسخ به صورت نمودار نشان داده می‌شود.

جستجوی در پایگاه up to date

جستجو در پایگاه آپتودیت به صورت ساده می‌باشد و نیازی به عملگرهای بولی نمی‌باشد. در پایگاه آپتودیت می‌توان گایدلاین، گرافیک، الگوریتم‌ها و اختصارات را جستجو کرد

← → ↻ <https://ezproxy.usim.edu.my:2119/contents/search> ☆ 🔒 ⏴ ⏵ ☰

UpToDate® Universiti Sains Islam Malaysia

Contents ▾ Calculators Drug Interactions UpToDate Pathways Register Sign in

covid X 🔍

UpToDate | covid | جستجو

Contents | Calculators | Drug Interactions | UpToDate Pathways

Back | All | Adult | Pediatric | Patient | **Graphics**

Showing results for COVID (Coronavirus disease 2019 caused by SARS-CoV-2 virus)
Search instead: Coronavirus infection

نتایج جستجو

COVID-19: Evaluation of adults with acute illness in the outpatient setting
...illness it caused coronavirus disease 2019 (COVID-19). The spectrum of COVID-19 in adults ranges from asymptomatic infection to mild respiratory tract symptoms to severe pneumonia with acute respiratory distress ...
Determine eligibility for COVID-19 outpatient treatment
Summary and recommendations
COVID-19-specific therapy for adult outpatients
Comorbidities CDC classifies as risk factors for severe COVID-19

COVID-19: Management in hospitalized adults
... findings may be seen in COVID-19, they cannot reliably distinguish COVID-19 from other causes of viral pneumonia. We do not routinely obtain echocardiograms on patients with COVID-19; developments that might ...
Dexamethasone and other glucocorticoids
Remdesivir

Pathways
Interactive Decision Support
COVID-19: Anticoagulation in adults with COVID-19

Interpretation and follow-up of SARS-CoV-2 antigen testing in community settings^{1,2}

Because antigen tests are generally less sensitive than NAAT, the results are interpreted based on the pre-test probability of COVID-19. This algorithm does not apply to individuals with documented SARS-CoV-2 infection in the prior 3 months; these individuals have a low risk of infection but may have positive NAAT following infection.

SARS-CoV-2: severe acute respiratory syndrome coronavirus 2; COVID-19: coronavirus disease 2019; NAAT: nucleic acid amplification test.

* Symptoms consistent with COVID-19 include fever and/or respiratory tract symptoms (eg, cough, dyspnea, sore throat, rhinorrhea/nasal congestion), as well as smell or taste disturbances, myalgias, headache, and diarrhea. Many individuals

Graphics in this topic

Interpretation and follow-up of SARS-CoV-2 antigen testing in community settings^{1,2}

Isolation and precautions for immunocompetent patients with SARS-CoV-2 infection in the community

Indications for and selection of COVID-19-specific therapy for adult outpatients

Diagnostic tests for COVID-19^{1,2}

جستجوی ساده: ابتدا در کادر مورد جستجو عبارت مورد نظر را وارد می کنیم. در صفحه نتایج با کلیک بر هر یک از عناوین بازایی شده، جزئیات نتایج را می توان مشاهده کرد. نتایج جستجو را به گروه های مختلف از قبیل (Adult, patient, pediatric, Graphics) محدود نمائید.

UpToDate | covid | جستجو

Back | COVID-19: Evaluation of adults with acute illness in the outpatient setting

Topic | Graphics (7)

Indications for hospitalization
Non-acutely ill patients

COUNSELING
Infection control and isolation period
Warning symptoms
COVID-19 vaccination after recovery from acute illness

REEVALUATION FOR WORSENING CLINICAL ACUITY

1 **جستجو کردن guideline**

2 **SOCIETY GUIDELINE LINKS**

related to COVID-19 pandemic" and "COPD exacerbations: Management")

Links to society and government-sponsored guidelines from selected countries and regions around the world are provided separately. (See "Society guideline links: COVID-19 – Index of guideline topics".)

INFORMATION FOR PATIENTS

UpToDate offers two types of patient education materials, "The Basics" and "Beyond the Basics." The Basics patient education pieces are written in plain language, at the 5th to 6th grade reading level, and they answer the four or five key questions a patient might have about a given condition. These articles are best for patients who want a general overview and who prefer short, easy-to-read materials. Beyond the Basics patient education pieces are longer, more sophisticated, and more detailed. These articles are written at the 10th to 12th grade reading level and are best for patients who want in-depth information and are comfortable with some medical jargon.

Here are the patient education articles that are relevant to this topic. We encourage you to print or e-mail these topics to your patients. (You can also locate patient education articles on a variety of subjects by searching on "patient info" and the keyword(s) of interest.)

- Basics topics (see "Patient education: COVID-19 overview (The Basics)" and "Patient education: COVID-19 and pregnancy (The Basics)" and "Patient education: COVID-19 and children (The Basics)" and "Patient education: Long COVID (The Basics)")

GRAPHICS | view all

Uptodate | Home | Calculators | Drug Interactions | Uptodate Pathways

Back | Society guideline links: COVID-19 - Index of guideline topics

Outline

- Introduction
- Society guideline topics for diagnosis, prevention, and management
- Society guideline topics by health care setting

RELATED TOPICS

- Society guideline links: COVID-19 - Anticoagulation
- Society guideline links: COVID-19 - Cardiorespiratory care
- Society guideline links: COVID-19 - Community and public health settings (including travel)
- Society guideline links: COVID-19 - Health care workers and health care systems

Introduction

This topic provides an index to other topics with coronavirus disease 2019 (COVID-19)-related guidelines from public health, government-sponsored, and specialty societies from selected countries and regions around the world.

The recommendations in the following topics may vary from those that appear in Uptodate topic reviews should use the Uptodate search box to find the relevant content.

Society guideline topics for diagnosis, prevention, and management

- Society guideline links: COVID-19 - General guidelines for diagnostic testing
- Society guideline links: COVID-19 - General guidelines for infection control
- Society guideline links: COVID-19 - General guidelines for pre- and post-exposure prophylaxis
- Society guideline links: COVID-19 - General guidelines for vaccination
- Society guideline links: COVID-19 - General guidelines for management
- Society guideline links: COVID-19 - General guidelines for critical care

Society guideline topics by health care setting

- Society guideline links: COVID-19 - Community and public health settings (including travel)
- Society guideline links: COVID-19 - Health care workers and health care systems

لینک گروه گاید لاین ها

گاید لاین مورد نظر به صورت دسته بندی منتشر می شود

Uptodate | Home | Calculators | Drug Interactions | Uptodate Pathways

Back | Society guideline links: COVID-19 - General guidelines for critical care

Outline

- Introduction
- International

RELATED TOPICS

- Society guideline links: COVID-19 - Health care workers and health care systems

Introduction

This topic includes links to society and government-sponsored guidelines from selected countries and regions around the world. We will update these links periodically; newer versions of some guidelines may be available on each society's website. Some societies may require users to login to access their guidelines.

The recommendations in the following guidelines may vary from those that appear in Uptodate topic reviews. Readers who are looking for Uptodate topic reviews should use the Uptodate search box to find the relevant content.

Critical care for specific patient populations are discussed separately, along with links to related COVID-19 guidelines. (See "Society guideline links: COVID-19 - Index of guideline topics" and/or "Society guideline topics by medical specialty".)

International

- World Health Organization (WHO). Intensive guidance for the critical care of severe acute respiratory infections - Test 43, updated (2020)
- European Society of Intensive Care Medicine (ESICM). COVID-19 - Updated guidelines (2021)
- COVID-19 PICO: guidelines for high- and low-resource settings (2020)
- International Society on Thrombosis and Haemostasis (ISTH). Critical guidelines on the diagnosis, prevention, and treatment of venous thromboembolism in hospitalized patients with COVID-19 (2020)

جستجوی گایدلاین (guideline): در قسمت topic سمت راست لینک گروه گایدلاین را پیدا کرده و سپس کلیک می کنیم در سمت چپ گروه لینک موضوع مورد نظر را بازایی می کند. نتیجه بازایی چندین گروه لینک گایدلاین قابل مشاهده می باشد. گاید لاین مورد نظر به صورت دسته بندی شده در مکانهای متفاوت منتشر می شود.

Uptodate | Home | Calculators | Drug Interactions | Uptodate Pathways

Back | All | Adult | Pediatric | Patient | Graphics

Showing results for **ESRD (End-stage kidney disease)**
Search instead: esrd

Overview of the management of chronic kidney disease in adults

...and mineral and bone disorders (MBOs). The onset of ESRD results in a constellation of signs and symptoms referred to as **uremia**. Manifestations of **uremia** include anorexia, nausea, vomiting, pericarditis, ...

Treatment of complications of end-stage kidney disease

Blood pressure control

Summary and recommendations

- Ckd classification based upon GFR and albuminuria
- Relative risks of major complications of CKD

Alternative kidney replacement therapies in end-stage kidney disease

...retained in kidney failure, 146 were designated as **uremic toxins** by the European **Uremic Toxin Work Group**. Although the mode of classification of **uremic toxins** is evolving, we will follow the molecular ...

Summary and recommendations

Uptodate | Home | Calculators | Drug Interactions | Uptodate Pathways

Back | All | Adult | Pediatric | Patient | Graphics

Showing results for **ESRD (End-stage kidney disease)**
Search instead: esrd

Overview of the management of chronic kidney disease in adults

Topic: **ESRD (End-stage kidney disease)**

Summary and recommendations

Introduction

All patients with kidney disease (whether acute or chronic) should undergo an assessment of kidney function by estimating the glomerular filtration rate (GFR) from the serum creatinine. This measurement is used clinically to evaluate the degree of kidney impairment, to follow the course of the disease, and to assess the response to therapy. An attempt must also be made to obtain a specific diagnosis. The first step is a careful analysis, looking for glomerular, tubulointerstitial, and vascular causes. Further evaluation may include quantification of proteinuria, kidney ultrasound, referral to a nephrologist, and a kidney biopsy. Nephrology referral is especially indicated when there is a rapid decline in kidney function, an elevated albumin-to-creatinine ratio (>300 mg/g), or a history of blood urea nitrogen (BUN) >27 mg/dL.

Relative risks of major complications of chronic kidney disease based upon categorical meta-analysis

Export to Powerpoint

Ranking of adjusted relative risk

Rank numbers	0-8	9-14	15-21	22-28
Green	0-8	9-14	15-21	22-28
Yellow	9-14	15-21	15-21	22-28
Orange	15-21	15-21	15-21	22-28
Red	22-28	22-28	22-28	22-28

Cardiovascular mortality

Study	HR	95% CI	Rank
ACEI	0.87	0.81-0.93	1
ARB	0.87	0.81-0.93	1
CCB	0.87	0.81-0.93	1
Diuretic	0.87	0.81-0.93	1
Beta-blocker	0.87	0.81-0.93	1
Statins	0.87	0.81-0.93	1

Uremic features (ESRD)

Study	HR	95% CI	Rank
ACEI	0.87	0.81-0.93	1
ARB	0.87	0.81-0.93	1
CCB	0.87	0.81-0.93	1
Diuretic	0.87	0.81-0.93	1
Beta-blocker	0.87	0.81-0.93	1
Statins	0.87	0.81-0.93	1

جستجوی گرافیک‌ها و الگوریتم‌ها و جستجوی اختصارات (abbreviations): ابتدا در کادر جستجو کلمه اختصار وارد می‌کنیم در قسمت پایین کادر نام کامل بیماری قابل مشاهده می‌باشد. در قسمت گرافیک می‌توانیم گرافیک و پاورپوینت را نیز تهیه کنیم.

کتابخانه مرکز آموزشی درمانی الزهرا (س)

تهیه کننده: اشرف کریمی

آدرس سایت کتابخانه دیجیتال دانشگاه: diglib.mui.ac.ir